

ABSTRACT ATTACHED

(19) 日本国特許庁 (J P)

(12) 公開特許公報 (A)

(11) 特許出願公開番号
特開2000-83868
(P2000-83868A)

(43) 公開日 平成12年3月28日 (2000.3.28)

(51) Int.Cl.

識別記号

F I

キーワード (参考)

A 4 7 K 17/02

A 4 7 K 17/02

Z 2 D 0 3 7

審査請求 未請求 請求項の数 1 書面 (全 2 頁)

(21) 出願番号 特願平10-299035

(22) 出願日 平成10年9月14日 (1998.9.14)

(71) 出願人 397009417

永島 益次郎

群馬県多野郡吉井町吉井川208

(72) 発明者 永島 益次郎

群馬県多野郡吉井町吉井川208


Fターム (参考) 2D037 EB01

(54) 【発明の名称】 トイレの回りに、紙おむつの様な布地の 物などを敷く、品物です。

(57) 【要約】 (修正有)

【課題】 トイレの回りを出来るだけ清潔にする。

【解決手段】 カーペットの中に、トイレ用の穴を設けて、向こう側に差し込みの部分設ける。



【特許請求の範囲】

【請求項1】 トイレの回りに品物を敷く物です。

【発明の詳細な説明】

トイレの回りに、紙おむつの様な布地や紙やビニールやナイロンやあるいは、布か絨毯等を敷いて使用する、洗濯できる物や使い捨ての物です。

【図面の簡単な説明】


【図1】 品物を示した平面図である。

【図2】 品物を示した側面図である。


【符号の説明】

- 1 品物の部分
- 2 便器の部分
- 3 差し込みの部分

【図1】



【図2】



(19)



JAPANESE PATENT OFFICE

PATENT ABSTRACTS OF JAPAN

(11) Publication number: **2000083868 A**

(43) Date of publication of application: **28.03.00**

(51) Int. Cl. **A47K 17/02**

(21) Application number: **10299035**

(71) Applicant: **NAGASHIMA MASUJIRO**

(22) Date of filing: **14.09.98**

(72) Inventor: **NAGASHIMA MASUJIRO**

(54) **RUG MADE OF PAPER DIAPER-LIKE CLOTH
SPREAD AROUND TOILET BOWL**

stained, the toilet bowl 2 is kept clean at all times by washing or disposing of it.

(57) Abstract:

COPYRIGHT: (C)2000,JPO

PROBLEM TO BE SOLVED: To keep the periphery of a toilet bowl clean at all times by arranging a rug that is made of a fabric like a paper diaper, a vinyl or an appropriate cloth or the like and that is washable or disposable in the periphery of a toilet bowl in a toilet.

SOLUTION: A rug that is made of a vinyl, an appropriate cloth or the like in addition to a fabric like a paper diaper and that is washable or disposable, is arranged in the periphery of a toilet bowl 2 in a toilet. And an insertion portion 3 is arranged in the part behind the toilet bowl 2 of the rug 1, and with the insertion portion 3 split, the rug 1 is spread in a state of surrounding the toilet bowl 2, the insertion portion 3 is inserted and joins the split portions of the rug 1, thereby surrounding the periphery of the toilet bowl 2 in the toilet by the rug 1, and when the rug is

